

Ice Pack Required? ☐

Quote Specification Sheet

Page 1.000

Catalog No: LK2- CB101801-1	Storage: ≤ -10 Degrees C	Solvent: Methylene Chloride	Container: 1 ml Ampule, Amber Glass	Description: PAH Mix, 23 Compounds, 200 mg/L, 1 mL
--	------------------------------------	---------------------------------------	--	--

Days to Expiration: 1280

Compound	CAS No	Concentration
acenaphthene	83-32-9	200 +/- 10 mg/L
acenaphthylene	208-96-8	200 +/- 10 mg/L
anthracene	120-12-7	200 +/- 10 mg/L
benzo[a]anthracene	56-55-3	200 +/- 10 mg/L
benzo[j]fluoranthene	205-82-3	200 +/- 10 mg/L
benzo[a]pyrene	50-32-8	200 +/- 10 mg/L
benzo[b]fluoranthene	205-99-2	200 +/- 10 mg/L
benzo[e]pyrene	192-97-2	200 +/- 10 mg/L
benzo[ghi]perylene	191-24-2	200 +/- 10 mg/L
benzo[k]fluoranthene	207-08-9	200 +/- 10 mg/L
chrysene	218-01-9	200 +/- 10 mg/L
dibenz[a,h]anthracene	53-70-3	200 +/- 10 mg/L
dibenzo(a,e)pyrene	192-65-4	200 +/- 10 mg/L
dibenzo(a,h)pyrene	189-64-0	200 +/- 10 mg/L
dibenzo(a,i)pyrene	189-55-9	200 +/- 10 mg/L
dibenzo(a,l)pyrene	191-30-0	200 +/- 10 mg/L
fluoranthene	206-44-0	200 +/- 10 mg/L
fluorene	86-73-7	200 +/- 10 mg/L
indeno[1,2,3-cd]pyrene	193-39-5	200 +/- 10 mg/L

We will attempt to prepare solutions as requested, however, on new solutions please note concentrations and/or solvent may change due to chemistry or solubility issues. The expiration period on custom solutions is estimated based on available chemical knowledge and/or data. The actual expiration period may change once a stability study is completed on this particular product, which may take up to three years. Please review the specifications carefully as the product will be made as listed above. By ordering this product, you are approving these specifications. Client signature may still be requested.

Client Specifications Approval: _____

Date: _____

Quote Specification Sheet

Page 2.000

Catalog No: LK2-CB101801

Compound	CAS No	Concentration
naphthalene	91-20-3	200 +/- 10 mg/L
perylene	198-55-0	200 +/- 10 mg/L
phenanthrene	85-01-8	200 +/- 10 mg/L
pyrene	129-00-0	200 +/- 10 mg/L

We will attempt to prepare solutions as requested, however, on new solutions please note concentrations and/or solvent may change due to chemistry or solubility issues. The expiration period on custom solutions is estimated based on available chemical knowledge and/or data. The actual expiration period may change once a stability study is completed on this particular product, which may take up to three years. Please review the specifications carefully as the product will be made as listed above. By ordering this product, you are approving these specifications. Client signature may still be requested.

Client Specifications Approval: _____

Date: _____

Tappersweg 59, 2031 ET Haarlem, The Netherlands,
T. +31 84 875 63 44 : F. +31 84 875 63 44 : VAT: NL854948429B01
www.labkings.com