

Ice Pack Required? ☐

Quote Specification Sheet

Page 1.000

Catalog No:	Storage:	Solvent:	Container:	Description:
LK2- CB100815 -10-SS	≤ 6 °C	Acetone	10 mL Ampule, Amber Glass	Custom Semivolatile Mix, 20-3627, Second Source, 100 mg/L, 10 ml

*Estimated Days to Expiration: 180

Compound	CAS No	Concentration
Bromophos ethyl	4824-78-6	100 +/- 5 mg/L
Bromophos methyl	2104-96-3	100 +/- 5 mg/L
chlorpyrifos	2921-88-2	100 +/- 5 mg/L
coumaphos	56-72-4	100 +/- 5 mg/L
diazinon	333-41-5	100 +/- 5 mg/L
dichlorvos	62-73-7	100 +/- 5 mg/L
dimethoate	60-51-5	100 +/- 5 mg/L
disulfoton	298-04-4	100 +/- 5 mg/L
ethion	563-12-2	100 +/- 5 mg/L
fenitrothion	122-14-5	100 +/- 5 mg/L
fenthion	55-38-9	100 +/- 5 mg/L
Guthion®	86-50-0	100 +/- 5 mg/L
Guthion Ethyl	2642-71-9	100 +/- 5 mg/L
malathion	121-75-5	100 +/- 5 mg/L
methidathion	950-37-8	100 +/- 5 mg/L
methyl parathion	298-00-0	100 +/- 5 mg/L
parathion	56-38-2	100 +/- 5 mg/L
phosdrin™ (mevinphos)	7786-34-7	100 +/- 5 mg/L
pyrazophos	13457-18-6	100 +/- 5 mg/L

*We will attempt to prepare solutions as requested, however, on new solutions please note concentrations and/or solvent may change due to chemistry or solubility issues. The expiration period on custom solutions is estimated based on available chemical knowledge and/or data. The actual expiration period may change once a stability study is completed on this particular product, which may take up to three years. Please review the specifications carefully as the product will be made as listed above. By ordering this product, you are approving these specifications. Client signature may still be requested.

Client Specifications Approval: _____

Date: _____

Quote Specification Sheet

Page 2.000

Catalog No: LK2-CB100815

Compound	CAS No	Concentration
triazophos	24017-47-8	100 +/- 5 mg/L

*We will attempt to prepare solutions as requested, however, on new solutions please note concentrations and/or solvent may change due to chemistry or solubility issues. The expiration period on custom solutions is estimated based on available chemical knowledge and/or data. The actual expiration period may change once a stability study is completed on this particular product, which may take up to three years. Please review the specifications carefully as the product will be made as listed above. By ordering this product, you are approving these specifications. Client signature may still be requested.

Client Specifications Approval: _____ Date: _____

Utrechtseweg 5, 1213TK Hilversum, The Netherlands,
T. +31 84 875 63 44 : F. +31 84 875 63 44 : VAT: NL854948429B01
www.labkings.com