

Page 1/10

Revision: 15.10.2018

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.10.2018

Version number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Quality Control Standard #26, 26 Elements: Al, Sb, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, Ag, Se, Ti, Tl, V, Zn @ 100 μg/mL; K @ 1000 μg/mL; Si @ 50 μg/mL in 5% HNO3 + Tr HF
- · Part number: LK1-00080103
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Reference material for laboratory use only
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

LabKings B.V.
Tappersweg 59, 2031 ET Haarlem,
The Netherlands

Tel: +31 84 875 63 44 Web: www.labkings.com

- · Further information obtainable from: info@labkings.com
- 1.4 Emergency telephone number: +31 84 875 63 44

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05

GHS07

(Contd. on page 2)



Page 2/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.10.2018 Version number 1 Revision: 15.10.2018

Product name: Quality Control Standard #26, 26 Elements: Al, Sb, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, Ag, Se, Ti, Tl, V, Zn @ 100 μg/mL; K @ 1000 μg/mL; Si @ 50 μg/mL in 5% HNO3 + Tr HF

(Contd. from page 1)

· Signal word Danger

· Hazard-determining components of labelling:

Nitric acid

1 1 6 .

hydrofluoric acid
• Hazard statements

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation. H318 Causes serious eye damage.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description:

Aqueous solution.

Also contains substances at levels not considered to be hazardous.

· Dangerous components:		
CAS: 7697-37-2	Nitric acid	<5%
EINECS: 231-714-2 RTECS: QU5775000	� Ox. Liq. 2, H272; � Skin Corr. 1A, H314	
CAS: 7664-39-3	hydrofluoric acid	<1%
EINECS: 231-634-8 RTECS: MW 7875000	Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Skin	
RIECS. MIN 7075000	Com. In, 11317	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

- NLEN

(Contd. on page 3)



Page 3/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.10.2018 Version number 1 Revision: 15.10.2018

Product name: Quality Control Standard #26, 26 Elements: Al, Sb, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, Ag, Se, Ti, Tl, V, Zn @ 100 μg/mL; K @ 1000 μg/mL; Si @ 50 μg/mL in 5% HNO3 + Tr HF

(Contd. from page 2)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur even after several hours; therefore medical observation for at least 48 hours after the accident is recommended.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient in recovery position for transport.

Seek medical treatment.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse mouth. Do not induce vomiting.

Seek medical treatment.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

(Contd. on page 4)



Page 4/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.10.2018 Version number 1

Product name: Quality Control Standard #26, 26 Elements: Al, Sb, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, Ag, Se, Ti, Tl, V, Zn @ 100 μg/mL; K @ 1000 μg/mL; Si @ 50 μg/mL in 5% HNO3 + Tr HF

(Contd. from page 3)

Revision: 15.10.2018

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

DO NOT USE SAWDUST.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/extraction at the workplace.

Store in cool, dry place in tightly closed receptacles.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

 ${\it Please \ refer to \ the \ manufacturer's \ certificate \ for \ specific \ storage \ and \ transport \ temperature \ conditions.}$

Store only in the original receptacle unless other advice is given on the CoA.

Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7697-37-2 Nitric acid

WGW (Netherland) Short-term value: 1.3 mg/m³, 0.5 ppm

7664-39-3 hydrofluoric acid

WGW (Netherland) Short-term value: 1 mg/m³

als F

· Additional information: Lists used were valid at the time of SDS preparation.

(Contd. on page 5)



Page 5/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.10.2018 Version number 1 Revision: 15.10.2018

Product name: Quality Control Standard #26, 26 Elements: Al, Sb, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, Ag, Se, Ti, Tl, V, Zn @ 100 μg/mL; K @ 1000 μg/mL; Si @ 50 μg/mL in 5% HNO3 + Tr HF

(Contd. from page 4)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374



Protective gloves

· Material of gloves

PVC gloves

Neoprene gloves

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Colour: Colourless
Odour: Odourless

(Contd. on page 6)



Page 6/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.10.2018 Version number 1 Revision: 15.10.2018

Product name: Quality Control Standard #26, 26 Elements: Al, Sb, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, Ag, Se, Ti, Tl, V, Zn @ 100 μg/mL; K @ 1000 μg/mL; Si @ 50 μg/mL in 5% HNO3 + Tr HF

	(Contd. fro	m pag
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/freezing point:	Not determined.	
Initial boiling point and boiling range	2: 100 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Not determined.	
· Ignition temperature:	Not determined	
· Decomposition temperature:	Not determined.	
\cdot Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1.01265 g/cm^3	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Stable under normal conditions.
- · 10.2 Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: Formation of toxic gases is possible during heating or in case of fire.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heat.

(Contd. on page 7)



Page 7/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.10.2018

Version number 1

Product name: Quality Control Standard #26, 26 Elements: Al, Sb, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, Ag, Se, Ti, Tl, V, Zn @ 100 μg/mL; K @ 1000 μg/mL; Si @ 50 μg/mL in 5% HNO3 + Tr HF

(Contd. from page 6)

Revision: 15.10.2018

- · 10.5 Incompatible materials: Strong oxidizing agents.
- · 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

· LD/LC50 values relevant for classification:

7697-37-2 Nitric acid

Inhalative LC50/4 h 130 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eve damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

7697-37-2 Nitric acid

LC50/48 180 mg/l (crustacean)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 8)



Page 8/10

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.10.2018 Version number 1 Revision: 15.10.2018

Product name: Quality Control Standard #26, 26 Elements: Al, Sb, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, Ag, Se, Ti, Tl, V, Zn @ 100 μg/mL; K @ 1000 μg/mL; Si @ 50 μg/mL in 5% HNO3 + Tr HF

(Contd. from page 7)

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

- · Uncleaned packaging:
- · Recommendation: Dispose of in accordance with national regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN3264
$\cdot ADR$	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,
	N.O.S. (NITRIC ACID, HYDROFLUORIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(NITRIC ACID, HYDROFLUORIC ACID)

- · 14.3 Transport hazard class(es)
- · ADR, IMDG, IATA



· Class · Label	8 Corrosive substances.
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Not applicable.
 · 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: 	Warning: Corrosive substances. 80 F-A,S-B

(Contd. on page 9)



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.10.2018 Version number 1 Revision: 15.10.2018

Product name: Quality Control Standard #26, 26 Elements: Al, Sb, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, Ag, Se, Ti, Tl, V, Zn @ 100 μg/mL; K @ 1000 μg/mL; Si @ 50 μg/mL in 5% HNO3 + Tr HF

	(Contd. from page
· Segregation groups	Acids
· 14.7 Transport in bulk according to A	Annex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
\cdot ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· UN ''Model Regulation'':	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIO
-	N.O.S. (NITRIC ACID, HYDROFLUORIC ACID), 8, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. Labkings makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

· Relevant phrases

H272 May intensify fire; oxidiser.

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.10.2018 Version number 1 Revision: 15.10.2018

Product name: Quality Control Standard #26, 26 Elements: Al, Sb, As, B, Ba, Be, Ca, Cd, Co, Cr, Cu, Fe, Mg, Mn, Mo, Na, Ni, Pb, Ag, Se, Ti, Tl, V, Zn @ 100 μg/mL; K @ 1000 μg/mL; Si @ 50 μg/mL in 5% HNO3 + Tr HF

(Contd. from page 9)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids - Category 2

Acute Tox. 2: Acute toxicity - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 1: Acute toxicity - Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· Data compared to the previous version altered. All sections have been updated.

NLEN