

Page 1/11

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2019

Version number 1

Revision: 21.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Tungsten 10,000 µg/mL in 5% HNO3/2% HF
- · Part number: LK1-00740101
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Reference material for laboratory use only
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: LabKings B.V.

Tappersweg 59, 2031 ET Haarlem, The Netherlands *Tel: +31 84 875 63 44 Web: www.labkings.com*

- · Further information obtainable from: info@labkings.com
- 1.4 Emergency telephone number: +31 84 875 63 44

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS03 flame over circle Ox. Liq. 3 H272 May intensify fire; oxidiser. GHS06 skull and crossbones Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H311 Toxic in contact with skin. GHS05 corrosion Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. GHS07 Acute Tox. 4 H332 Harmful if inhaled. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2)



Page 2/11

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2019

Version number 1

Revision: 21.01.2019

Product name: Tungsten 10,000 µg/mL in 5% HNO3/2% HF

(Contd. from page 1) · Hazard pictograms GHS06 GHS03 GHS05 · Signal word Danger · Hazard-determining components of labelling: hydrofluoric acid Nitric acid · Hazard statements May intensify fire; oxidiser. H272 May be corrosive to metals. H290 H301+H311 Toxic if swallowed or in contact with skin. *H332* Harmful if inhaled. H314 Causes severe skin burns and eye damage. · Precautionary statements P221 Take any precaution to avoid mixing with combustibles. P280 Wear protective gloves/protective clothing/eye protection/face protection. *P301+P310* IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable.

· **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description:
- Aqueous solution.

Also contains substances at levels not considered to be hazardous.

· Dangerous components:



(Contd. on page 3)

NLEN



Page 3/11

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2019

Version number 1

Revision: 21.01.2019

Product name: Tungsten 10,000 µg/mL in 5% HNO3/2% HF

 CAS: 7664-39-3
 hydrofluoric acid
 <2.5%</td>

 EINECS: 231-634-8
 Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330; Skin
 <2.5%</td>

 RTECS: MW 7875000
 Corr. 1A, H314

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur even after several hours; therefore medical observation for at least 48 hours after the accident is recommended.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- · After inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient in recovery position for transport.

Seek medical treatment.

• After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Rinse mouth. Do not induce vomiting.
- Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment:
- Mouth respiratory protective device.

Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2019

Version number 1

Revision: 21.01.2019

(Contd. from page 3)

Page 4/11

Product name: Tungsten 10,000 µg/mL in 5% HNO3/2% HF

Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Use neutralising agent. Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation. Absorb liquid components with liquid-binding material. DO NOT USE SAWDUST.
6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/extraction at the workplace. Store in cool, dry place in tightly closed receptacles. Prevent formation of aerosols.
- *Information about fire and explosion protection: Protect from heat. Keep respiratory protective device available.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA.

Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

· Information about storage in one common storage facility: Store away from foodstuffs.

· Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 7697-37-2 Nitric acid

WGW (Netherland) Short-term value: 1.3 mg/m³, 0.5 ppm

(Contd. on page 5)

NLEN



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2019

Version number 1

Revision: 21.01.2019

Page 5/11

Product name: Tungsten 10,000 µg/mL in 5% HNO3/2% HF

CAS. 7664 20 2 h	(Contd. from page 4
CAS: 7664-39-3 hy	•
WGW (Netherland)	Short-term value: 1 mg/m ³
	als F
Additional informa	tion: Lists used were valid at the time of SDS preparation.
8.2 Exposure contr	ols
Personal protective	equipment:
General protective	and hygienic measures:
	odstuffs, beverages and feed.
Immediately remov	e all soiled and contaminated clothing
Wash hands before	breaks and at the end of work.
Store protective clo	thing separately.
Avoid contact with	the eyes.
Avoid contact with	the eyes and skin.
Respiratory protect	
	osure or low pollution use respiratory filter device. In case of intensive or longer exposur
	respiratory protective device.
Protection of hand	s:
	has to be impermeable and resistant to the product/ the substance/ the preparation.
	love material on consideration of the penetration times, rates of diffusion and th
degradation	
	ves to be used must comply with the specifications of EC Directive 89/686/EEC and th
related standard El	N374
db	
Protecti	ve gloves
Material of gloves	
Neoprene gloves	
PVC gloves	
Penetration time of	f glove material
	rough time has to be found out by the manufacturer of the protective gloves and has to b
observed.	
Eye protection:	
Tightly S	sealed goggles

(Contd. on page 6)



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2019

Version number 1

Revision: 21.01.2019

Product name: Tungsten 10,000 µg/mL in 5% HNO3/2% HF

(Contd. from page 5)

9.1 Information on basic physical and o	chemical properties
General Information	inemieur properties
Appearance:	
Form:	Liquid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/freezing point:	Not determined.
Initial boiling point and boiling range	e: 100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.18536 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity Stable under normal conditions.

· 10.2 Chemical stability Stable under normal conditions.



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2019

Version number 1

Revision: 21.01.2019

(Contd. from page 6)

Page 7/11

Product name: Tungsten 10,000 µg/mL in 5% HNO3/2% HF

- Thermal decomposition / conditions to be avoided:
- Formation of toxic gases is possible during heating or in case of fire. • **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- 10.4 Conditions to avoid Heat.
- 10.5 Incompatible materials: Strong oxidizing agents. Metals.
- 10.6 Hazardous decomposition products: Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Toxic if swallowed or in contact with skin. Harmful if inhaled.

· LD/LC50 values relevant for classification:

CAS: 7697-37-2 Nitric acid

Inhalative LC50/4 h 130 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- \cdot Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:
- CAS: 7697-37-2 Nitric acid
- LC50/48 180 mg/l (crustacean)
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)

- NLEN -



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2019

Version number 1

Revision: 21.01.2019

(Contd. from page 7)

Page 8/11

Product name: Tungsten 10,000 µg/mL in 5% HNO3/2% HF

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation
- *Must not be disposed of together with household garbage. Do not allow product to reach sewage system. European waste catalogue*
- Waste disposal key numbers from EWC have to be assigned depending on origin and processing.
- Uncleaned packaging:
- $\cdot \ \textit{Recommendation:}$ Dispose of in accordance with national regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number	
· ADR, IMDG, IATA	UN2922
ADR	2922 CORROSIVE LIQUID, TOXIC, N.O.S.
	(HYDROFLUORIC ACID, NITRIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC
	ACID, NITRIC ACID)
· 14.3 Transport hazard class(es)	
·ADR	
· Class	8 Corrosive substances.
· Label	8+6.1
	(Contd. on page 9)
	NLEN -



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2019

Version number 1

Revision: 21.01.2019

Product name: Tungsten 10,000 µg/mL in 5% HNO3/2% HF

	(Contd. from pag
IMDG	
Class	8 Corrosive substances.
Label	8/6.1
IATA	
Class	8 Corrosive substances.
Label	8 (6.1)
14.4 Packing group ADR, IMDG, IATA	11
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	86
EMS Number:	F-A.S-B
Segregation groups	Acids
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
14.7 Transport in bulk according to An	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	E
UN "Model Regulation":	UN 2922 CORROSIVE LIQUID, TOXIC, N.O. (HYDROFLUORIC ACID, NITRIC ACID), 8 (6.1), 11

(Contd. on page 10)



Page 10/11

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2019

Version number 1

Revision: 21.01.2019

Product name: Tungsten 10,000 µg/mL in 5% HNO3/2% HF

(Contd. from page 9)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Seveso category P8 OXIDISING LIQUIDS AND SOLIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. Labkings makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

· Relevant phrases

H272 May intensify fire; oxidiser. H290 May be corrosive to metals. H300 Fatal if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H330 Fatal if inhaled. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Liq. 2: Oxidizing liquids – Category 2 Ox. Liq. 3: Oxidizing liquids - Category 3 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 1: Acute toxicity - Category 1 Acute Tox. 4: Acute toxicity - Category 4



Page 11/11

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2019

Version number 1

Revision: 21.01.2019

(Contd. from page 10)

Product name: Tungsten 10,000 µg/mL in 5% HNO3/2% HF

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

• Data compared to the previous version altered. All sections have been updated.

NLEN