

Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Version number 1

Revision: 09.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Product name: Uranium 1000 µg/mL in 2% HNO3
- · Part number: LK1-00920201
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Reference material for laboratory use only
- \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: LabKings B.V. Hoge Naarderweg 42, 1217 AG Hilversum The Netherlands

Tel: +31 35 240 0142 Web: www.labkings.com

- · Further information obtainable from: info@labkings.com
- 1.4 Emergency telephone number: +31 35 240 0142

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008
 - GHS05 corrosion
- Met. Corr.1 H290 May be corrosive to metals.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Warning · Hazard statements H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation.

(Contd. on page 2) NLEN



according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Version number 1

Revision: 09.10.2019

Page 2/9

Product name: Uranium 1000 µg/mL in 2% HNO3

	(Contd. from page 1)					
· Precautionary s	tatements					
P280	Wear protective gloves / eye protection / face protection.					
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if					
	present and easy to do. Continue rinsing.					
P321	Specific treatment (see on this label).					
P332+P313	If skin irritation occurs: Get medical advice/attention.					
P337+P313	If eye irritation persists: Get medical advice/attention.					
P406	Store in corrosive resistant container with a resistant inner liner.					
· 2.3 Other hazar	· 2.3 Other hazards					
· Results of PBT and vPvB assessment						
· PBT: Not applie	cable.					
• vPvB: Not applicable.						

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Aqueous solution.

· Dangerous components:

· Dangerous component	nts:	
CAS: 7697-37-2	Nitric acid	<2%
EINECS: 231-714-2	🕲 Ox. Liq. 2, H272; 💮 Met. Corr.1, H290; Skin Corr. 1A, H314	
RTECS: QU5775000		
CAS: 1344-59-8	triuranium octaoxide	<0.1%
EINECS: 215-702-4	STOT RE 2, H373; 🚯 Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit.	
RTECS: YR4900000		
Additional informati	For the wording of the listed has and physics refer to section 16	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Rinse mouth. Do not induce vomiting.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

NLEN



Page 3/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Version number 1

Revision: 09.10.2019

Product name: Uranium 1000 µg/mL in 2% HNO3

(Contd. from page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable for surrounding conditions.

 \cdot 5.2 Special hazards arising from the substance or mixture

- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. DO NOT USE SAWDUST.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep container in a well-ventilated place. Keep away from sources of ignition and heat.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.



Page 4/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Version number 1

Revision: 09.10.2019

Product name: Uranium 1000 µg/mL in 2% HNO3

(Contd. from page 3) · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: CAS: 7697-37-2 Nitric acid WGW (Netherland) Short-term value: 1.3 mg/m³, 0.5 ppm · Additional information: Lists used were valid at the time of SDS preparation. · 8.2 Exposure controls · Personal protective equipment: · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Respiratory protection: Not required. · Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374 Protective gloves · Material of gloves PVC gloves Neoprene gloves · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- · Appearance:
 - Form: Colour:

Liquid Colourless



Page 5/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Version number 1

Revision: 09.10.2019

Product name: Uranium 1000 µg/mL in 2% HNO3

		(Contd. from page
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Not determined.	
Initial boiling point and boiling range	:: 100 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Not determined.	
Ignition temperature:	Not determined	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

Stable under normal conditions.

No further relevant information available.

· 10.2 Chemical stability Stable under normal conditions.

· Thermal decomposition / conditions to be avoided:

Formation of toxic gases is possible during heating or in case of fire.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid Heat.



according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Version number 1

Revision: 09.10.2019

Page 6/9

Product name: Uranium 1000 µg/mL in 2% HNO3

- · 10.5 Incompatible materials: Strong oxidizing agents.
- · 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.
- \cdot Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

(Contd. from page 5)



according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Version number 1

Revision: 09.10.2019

(Contd. from page 6)

Page 7/9

Product name: Uranium 1000 µg/mL in 2% HNO3

· European waste catalogue

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

· Uncleaned packaging:

• Recommendation: Dispose of in accordance with national regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information · 14.1 UN-Number · ADR, IMDG, IATA UN3264 $\cdot ADR$ 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) · IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) · 14.3 Transport hazard class(es) · ADR, IMDG, IATA 8 Corrosive substances. · Class · Label 8 · 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: Not applicable. · 14.6 Special precautions for user Warning: Corrosive substances. · Danger code (Kemler): 80 · EMS Number: F-A, S-B· Segregation groups Acids · Stowage Category Α SW2 Clear of living quarters. · Stowage Code · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code *Not applicable.* · Transport/Additional information: · ADR \cdot Limited quantities (LQ) 5L• Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3 (Contd. on page 8)

NLEN



Page 8/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Version number 1

Revision: 09.10.2019

(Contd. from page 7)

Product name: Uranium 1000 µg/mL in 2% HNO3

• Tunnel restriction code

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

 \boldsymbol{E}

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. Labkings makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

· Relevant phrases

H272 May intensify fire; oxidiser. H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H332 Harmful if inhaled. H373 May cause damage to organs through prolonged or repeated exposure. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Liq. 2: Oxidizing liquids - Category 2 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A

(Contd. on page 9)



according to 1907/2006/EC, Article 31

Printing date 09.10.2019

Version number 1

Revision: 09.10.2019

(Contd. from page 8)

Page 9/9

Product name: Uranium 1000 µg/mL in 2% HNO3

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

• Sources

Tables 3.1 and 3.2 from Annex 6 of EC 1272/2008, EC 1907/2006, EH40/2005 as amended 2011, Registry of Toxic Effects of Chemical Substances (RTECS), The Dictionary of Substances and their Effects, 1st Edition, IUCLID.

· Data compared to the previous version altered. All sections have been updated.

NLEN