



Printing date 22.12.2022 Version number 1 Revision: 22.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Arsenic As 10 g/l in diluted HNO3 for ICP (LK1-00330101)
- · Registration number

A registration number is not available for this substance as the substance or its uses are exempted for registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Laboratory Reagent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

CPAchem Ltd.
2 Ivanka Terzieva Str.
Bogomilovo 6065
Stara Zagora, BULGARIA
info@cpachem.com

LabKings Utrechtseweg 5, 1213 TK Hilversum The Netherlands info@labkings.com

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number:

EMERGENCY HEALTH INFORMATION:

Austria +43 1 31304 5620, Belgium +32022649636, Bulgaria +359 2 9154 409, Croatia +38514686910, Cyprus +3572240561, Czech Republic +420267082257, Denmark +45 72 54 40 00, Estonia +3726943384, Finland +358 5052 000, France +33 3 85 21 92, Germany +49-30-18412-0, Greece +302106479250, Hungary +34 (1) 476 1136, Ireland +35318092566, Italy +390649906140, Latvia +371 67032600, Lithuania +370 70662008, Luxembourg +352 24785551, Netherland +31 88 75 585 61, Norway +47 21 07 70 00, Poland +48 42 2530 400, Portugal +351213303271, Romania +40213183606, Slovakia +421 2 5465 2307, Slovenia +38614006039, Spain +34 917689800, Sweden +46104566750,

United Kingdom (England or Wales) 0845 46 47 or Scotland 08454 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Carc. 1A H350 May cause cancer.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Printing date 22.12.2022 Version number 1 Revision: 22.12.2022

Trade name: Arsenic As - 10 g/l in diluted HNO3 for ICP (LK1-00330101)

(Contd. of page 1)

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labelling:

nitric acid arsenic acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- $\cdot \textit{Description: Mixture: consisting of the following components.}$

· Dangerous components:		
CAS: 7697-37-2	nitric acid	5.0%
EINECS: 231-714-2	🕲 Ox. Liq. 3, H272; 🥎 Acute Tox. 3, H331; 🔷 Skin Corr. 1A,	
Index number: 007-030-00-3	H314; Eye Dam. 1, H318, EUH071	
	ATE: LC50/4 h inhalative: > 20 mg/l	
	Specific concentration limits: Ox. Liq. 3; H272: C ≥ 65 %	
	Skin Corr. 1A; H314: C ≥ 20 %	
	Skin Corr. 1B; H314: 5 % ≤ C < 20 %	
CAS: 7778-39-4	arsenic acid	1.895%
EINECS: 231-901-9	Acute Tox. 3, H301; Acute Tox. 3, H331; 🗞 Carc. 1A, H350;	
Index number: 033-005-00-1	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

\cdot SVHC

7778-39-4 arsenic acid

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)

Printing date 22.12.2022 Version number 1 Revision: 22.12.2022

Trade name: Arsenic As - 10 g/l in diluted HNO3 for ICP (LK1-00330101)

(Contd. of page 2)

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{4.3 Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

IOELV Short-term value: 2.6 mg/m³, 1 ppm

7778-39-4 arsenic acid

BOELV Long-term value: 0.01* mg/m³

*from 11/7/2023 for copper smelting sector

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 22.12.2022 Version number 1 Revision: 22.12.2022

Trade name: Arsenic As - 10 g/l in diluted HNO3 for ICP (LK1-00330101)

(Contd. of page 3)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling

range 83 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower:

Upper:
Not determined.
Flash point:
Decomposition temperature:
Not applicable.
Not determined.
Not determined.
Not determined.
Not determined.

· Viscosity:

· Kinematic viscosity Not determined.

(Contd. on page 5)

Printing date 22.12.2022 Version number 1 Revision: 22.12.2022

Trade name: Arsenic As - 10 g/l in diluted HNO3 for ICP (LK1-00330101)

(Contd. of page 4)

· **Dynamic**: Not determined.

· Solubility

• water: Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value)
 Vapour pressure:
 Not determined.
 Not determined.

· Density and/or relative density

Density: Not determined.
Relative density Not determined.
Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

 $\cdot \textit{Important information on protection of health and}$

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Solids content: 1.9 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Void · Pyrophoric solids Void · Self-heating substances and mixtures · Substances and mixtures, which emit flammable Voidgases in contact with water Void · Oxidising liquids

Substances and mixtures, which emit flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 22.12.2022 Version number 1 Revision: 22.12.2022

Trade name: Arsenic As - 10 g/l in diluted HNO3 for ICP (LK1-00330101)

(Contd. of page 5)

· LD/LC50 values relevant for classification:			
ATE (Acute Toxicity Estimates)			
Oral	LD50	2,533 mg/kg (rat)	
Inhalative	LC50/4 h	26.4 mg/l	

7697-37-2 nitric acid

Inhalative |LC50/4| > 20 mg/l (ATE)

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity May cause cancer.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

- ET1

Printing date 22.12.2022 Version number 1 Revision: 22.12.2022

Trade name: Arsenic As - 10 g/l in diluted HNO3 for ICP (LK1-00330101)

(Contd. of page 6)

1/17DY 1 TD 1	
14.1 UN number or ID number ADR, IMDG, IATA	UN3264
14.2 UN proper shipping name	
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC
IMDC IATA	N.O.S. (NITRIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (NITRIC ACID)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80 F. A. G. P.
EMS Number: Segregation groups	F-A,S-B (SGG1) Acids
Segregation groups Stowage Category	(SGG1) Actas B
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
: ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
Towns and a set a series	Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 E
	L
IMDG	11
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2
Excepted quantumes (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN ''Model Regulation'':	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIO
or historian t	N.O.S. (NITRIC ACID), 8, II

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Printing date 22.12.2022 Version number 1 Revision: 22.12.2022

Trade name: Arsenic As - 10 g/l in diluted HNO3 for ICP (LK1-00330101)

(Contd. of page 7)

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

nitric acid arsenic acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

7778-39-4 arsenic acid Sunset date: 2017-08-22

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28, 72
- · Regulation (EU) No 649/2012

7778-39-4 arsenic acid Annex I Part 1

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

(Contd. on page 9)

Printing date 22.12.2022 Version number 1 Revision: 22.12.2022

Trade name: Arsenic As - 10 g/l in diluted HNO3 for ICP (LK1-00330101)

(Contd. of page 8)

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

7778-39-4 arsenic acid

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H350 May cause cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

· Department issuing SDS: Product safety department

· Contact: Mrs. Taralova

· Date of previous version: 22.12.2022

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 3: Oxidizing liquids – Category 3

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Carc. 1A: Carcinogenicity - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3