

Page 1/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.10.2022

Version number 1

Revision: 26.10.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Uranium U 1.000 g/l in diluted HNO3 for ICP (LK1-00920405)
- · Registration number

A registration number is not available for this substance as the substance or its uses are exempted for registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Laboratory Reagent
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: CPAchem Ltd. 2 Ivanka Terzieva Str. Bogomilovo 6065 Stara Zagora, BULGARIA info@cpachem.com

LabKings Utrechtseweg 5, 1213 TK Hilversum The Netherlands info@labkings.com

· Further information obtainable from: Product safety department

· 1.4 Emergency telephone number:

EMERGENCY HEALTH INFORMATION:

Austria +43 1 31304 5620, Belgium +32022649636, Bulgaria +359 2 9154 409, Croatia +38514686910, Cyprus +3572240561, Czech Republic +420267082257, Denmark +45 72 54 40 00, Estonia +3726943384, Finland +358 5052 000, France +33 3 85 21 92, Germany +49-30-18412-0, Greece +302106479250, Hungary +34 (1) 476 1136, Ireland +35318092566, Italy +390649906140, Latvia +371 67032600, Lithuania +370 70662008, Luxembourg +352 24785551, Netherland +31 88 75 585 61, Norway +47 21 07 70 00, Poland +48 42 2530 400, Portugal +351213303271, Romania +40213183606, Slovakia +421 2 5465 2307, Slovenia +38614006039, Spain +34 917689800, Sweden +46104566750,

United Kingdom (England or Wales) 0845 46 47 or Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

GHS07

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. • *Hazard pictograms*



Signal word Warning
 Hazard statements
 H315 Causes skin irritation.

(Contd. on page 2)

EU

Printing date 26.10.2022

Version number 1

Revision: 26.10.2022

Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (LK1-00920405)

	(Contd. of page
	erious eye irritation.
Precautionary	
P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P303+P331+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
D112 D111	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
	ckages where the contents do not exceed 125 ml
Hazard pictogr	ams
GHS07	
Signal word Wa	ırning
Hazard stateme	ents Void
Hazard stateme Precautionary s	ents Void
Hazard stateme Precautionary P280 Wear prot 2.3 Other hazar	e nts Void s tatements tective gloves / eye protection / face protection. r ds
Hazard stateme Precautionary P280 Wear prot 2.3 Other hazar	e nts Void s tatements tective gloves / eye protection / face protection.
Hazard stateme Precautionary s P280 Wear prov 2.3 Other hazar Results of PBT PBT: Not appli	ents Void statements tective gloves / eye protection / face protection. rds and vPvB assessment cable.
Hazard stateme Precautionary s P280 Wear prov 2.3 Other hazar Results of PBT	ents Void statements tective gloves / eye protection / face protection. rds and vPvB assessment cable.
Hazard stateme Precautionary s P280 Wear prov 2.3 Other hazar Results of PBT PBT: Not appli	ents Void statements tective gloves / eye protection / face protection. rds and vPvB assessment cable.

· 3.2 Mixtures

• Description: Mixture: consisting of the following components.

CAS: 7697-37-2	nitric acid	2.0%
EINECS: 231-714-2 Index number: 007-030-00-3	� Ox. Liq. 3, H272; � Acute Tox. 3, H331; � Skin Corr. 1A, H314; Eye Dam. 1, H318, EUH071	
	ATE: LC50/4 h inhalative: > 20 mg/l	
	Specific concentration limits: Ox. Liq. 3; H272: $C \ge 65 \%$	
	Skin Corr. 1A; H314: C ≥ 20 %	
	Skin Corr. 1B; H314: 5 % ≤ C < 20 %	
CAS: 6159-44-0	uranyl acetate dihydrate	0.178%
EINECS: 208-767-5 Index number: 092-002-00-3	 Acute Tox. 2, H300; Acute Tox. 2, H330; STOT RE 2, H373; Aquatic Chronic 2, H411 	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: Call for a doctor immediately.

(Contd. on page 3)

EU

Printing date 26.10.2022

Version number 1

Revision: 26.10.2022

Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (LK1-00920405)

(Contd. of page 2)

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. • 4.3 Indication of any immediate medical attention and special treatment needed

 $No\ further\ relevant\ information\ available.$

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

• 6.2 Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

IOELV Short-term value: 2.6 mg/m³, 1 ppm

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

(Contd. on page 4)

EU

Printing date 26.10.2022

Version number 1

Revision: 26.10.2022

(Contd. of page 3)

Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (LK1-00920405)

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical p	properties
· General Information	-
· Physical state	Fluid
Colour:	According to product specification
· Odour:	Characteristic
• Odour threshold:	Not determined.
• Melting point/freezing point:	0 °C
· Boiling point or initial boiling point and boiling	
range	100 °C (7732-18-5 water, distilled, conductivity or of
0	similar purity)
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
• Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	0.952 mPas
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity or of
	similar purity)
· Density and/or relative density	1
· Density at 20 °C:	1.01163 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health an	d
environment, and on safety.	
• Auto-ignition temperature:	Product is not selfigniting.
	(Contd. on page 5)

EU

Printing date 26.10.2022

Version number 1

Revision: 26.10.2022

Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (LK1-00920405)

	(Contd. of page 4
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	0.2 %
• Molecular weight	18.02 g/mol
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard o	classes
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
• Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
• Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
• Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flamm	able
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- \cdot Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 114,607 mg/kg (rat)

Inhalative LC50/4 h 28.1 mg/l

· Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

 \cdot Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

EU

Printing date 26.10.2022

Version number 1

Revision: 26.10.2022

Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (LK1-00920405)

(Contd. of page 5)

\cdot 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1760
14.2 UN proper shipping name	
·ADR	1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, N.O.S. (NITRIC ACID)
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR, IMDĞ, IATA	III
	(Contd. on page

Printing date 26.10.2022

Version number 1

Revision: 26.10.2022

Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (LK1-00920405)

	(Contd. of page
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IM	10
instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (\widetilde{EQ})	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (\widetilde{EQ})	Code: E1
· · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN 1760 CORROSIVE LIQUID, N.O.S. (NITRIC ACIE 8, III

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements P264 Wash thoroughly after handling. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 8)

[—] EU

Printing date 26.10.2022

Version number 1

Revision: 26.10.2022

Trade name: Uranium U - 1.000 g/l in diluted HNO3 for ICP (LK1-00920405)

(Contd. of page 7)

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H272 May intensify fire; oxidiser.
- H300 Fatal if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H373 May cause damage to organs through prolonged or repeated exposure.
- *H411* Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

- · Department issuing SDS: Product safety department
- · Contact: Mrs. Taralova
- Date of previous version: 07.10.2022
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- *PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative*
- VPVB: very Persistent and very Bioaccumul
- *Ox. Liq. 3: Oxidizing liquids Category 3 Acute Tox. 2: Acute toxicity – Category 2*
- Acute Tox. 3: Acute toxicity Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Dam. 1: Serious eye damage/eye irritation Category 1
- *Eye Irrit. 2: Serious eye damage/eye irritation Category 2*

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2