

Page 1/8

Safety data sheet

# according to 1907/2006/EC, Article 31

Printing date 02.06.2023

Version number 1

Revision: 02.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Ytterbium Yb 10.00 g/l in 5% HNO3 for ICP (LK1-00700101)
- · Registration number

A registration number is not available for this substance as the substance or its uses are exempted for registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Laboratory Reagent
- · 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: CPAchem Ltd. 2 Ivanka Terzieva Str. Bogomilovo 6065 Stara Zagora, BULGARIA info@cpachem.com

LabKings Utrechtseweg 5, 1213 TK Hilversum The Netherlands info@labkings.com

· Further information obtainable from: Product safety department

· 1.4 Emergency telephone number:

EMERGENCY HEALTH INFORMATION:

Austria +43 1 31304 5620, Belgium +32022649636, Bulgaria +359 2 9154 409, Croatia +38514686910, Cyprus +3572240561, Czech Republic +420267082257, Denmark +45 72 54 40 00, Estonia +3726943384, Finland +358 5052 000, France +33 3 85 21 92, Germany +49-30-18412-0, Greece +302106479250, Hungary +34 (1) 476 1136, Ireland +35318092566, Italy +390649906140, Latvia +371 67032600, Lithuania +370 70662008, Luxembourg +352 24785551, Netherland +31 88 75 585 61, Norway +47 21 07 70 00, Poland +48 42 2530 400, Portugal +351213303271, Romania +40213183606, Slovakia +421 2 5465 2307, Slovenia +38614006039, Spain +34 917689800, Sweden +46104566750,

United Kingdom (England or Wales) 0845 46 47 or Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Skin Corr. 1B H314 Causes severe skin burns and eye damage.

*Eye Dam. 1* H318 Causes serious eye damage.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- *The product is classified and labelled according to the CLP regulation. Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labelling: nitric acid

Printing date 02.06.2023

Version number 1

Revision: 02.06.2023

# *Trade name: Ytterbium Yb - 10.00 g/l in 5% HNO3 for ICP (LK1-00700101)*

Hazard staten	nents
H314 Causes	severe skin burns and eye damage.
Precautionary	y statements
P303+P361+	P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, i present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other haz	ards

• **vPvB**: Not applicable.

# SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

· Description: Mixture: consisting of the following components.

nitric acid	5.0%
� Ox. Liq. 3, H272; � Acute Tox. 3, H331; � Skin Corr. 1A, H314; Eye Dam. 1, H318, EUH071	
ATE: LC50/4 h inhalative: > 20 mg/l	
Specific concentration limits: Skin Corr. 1A; H314: C ≥ 20 %	
<i>Skin Corr.</i> 1 <i>B</i> ; <i>H</i> 314: 5 % ≤ C < 20 %	
<i>Ox. Liq. 3; H272: C ≥65 %</i>	
Ytterbium nitrate	3.09%
Ox. Sol. 2, H272; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
	<ul> <li>Ox. Liq. 3, H272;  Acute Tox. 3, H331;  Skin Corr. 1A, H314; Eye Dam. 1, H318, EUH071 ATE: LC50/4 h inhalative: &gt; 20 mg/l Specific concentration limits: Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C &lt; 20 % Ox. Liq. 3; H272: C ≥ 65 %</li> <li>Ytterbium nitrate</li> <li>Ox. Sol. 2, H272;  Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye</li> </ul>

• Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

# SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

EU

Printing date 02.06.2023

Version number 1

Revision: 02.06.2023

#### Trade name: Ytterbium Yb - 10.00 g/l in 5% HNO3 for ICP (LK1-00700101)

(Contd. of page 2)

#### SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

IOELV Short-term value: 2.6 mg/m<sup>3</sup>, 1 ppm

· Additional information: The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Goggles recommended during refilling

(Contd. on page 4)

Printing date 02.06.2023

Version number 1

Revision: 02.06.2023

# Trade name: Ytterbium Yb - 10.00 g/l in 5% HNO3 for ICP (LK1-00700101)

(Contd. of page 3)

9.1 Information on basic physical and chemical p General Information	roperties
Physical state	Fluid
Colour:	According to product specification
Odour:	<i>Characteristic</i>
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	Unuelerminea.
••• ••	83 °C
range Elammability	
Flammability Lower and unner explosion limit	Not applicable.
Lower and upper explosion limit	Not determined
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	••
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	i rouner ubes not present un exprosion nazura.
Organic solvents:	0.0 %
Change in condition	
Evaporation rate	Not determined.
<u>^</u>	
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void

(Contd. on page 5)

Printing date 02.06.2023

Version number 1

Revision: 02.06.2023

#### Trade name: Ytterbium Yb - 10.00 g/l in 5% HNO3 for ICP (LK1-00700101)

		(Contd. of page 4)
• Corrosive to metals • Desensitised explosives	Void Void	

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 16,181 mg/kg

7697-37-2 nitric acid

Inhalative LC50/4 h > 20 mg/l (ATE)

· Skin corrosion/irritation Causes severe skin burns and eye damage.

· Serious eye damage/irritation Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 6)

Printing date 02.06.2023

Version number 1

Revision: 02.06.2023

*Trade name: Ytterbium Yb - 10.00 g/l in 5% HNO3 for ICP (LK1-00700101)* 

Danger to drinking water if even small quantities leak into the ground.

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

ADR, IMDG, IATAUN326414.2 UN proper shipping name ADR3264 CORROSIVE LIQUID, ACIDIC, INORGANIC N.O.S. (NITRIC ACID)IMDG, IATACORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (NITRIC ACID)IA.3 Transport hazard class(es)ADR, IMDG, IATAADR, IMDG, IATACorrosive substances.Label814.4 Packing group ADR, IMDG, IATAII14.5 Environmental hazards: Marine pollutant:No14.6 Special precautions for userWarning: Corrosive substances.Hazard identification number (Kemler code): Stowage Code805 Stowage CodeSW2 Clear of living quarters.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.14.7 Maritime transport in bulk according to IMO instrumentsIL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	SECTION 14: Transport information	
ADR       3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)         IMDG, IATA       CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)         14.3 Transport hazard class(es)       ADR, IMDG, IATA         ADR, IMDG, IATA       (NITRIC ACID)         Class       8 Corrosive substances.         Label       8         14.4 Packing group       14         ADR, IMDG, IATA       II         14.5 Environmental hazards:       No         Marine pollutant:       No         14.6 Special precautions for user       Warning: Corrosive substances.         Hazard identification number (Kemler code):       80         Stowage Code       SW2 Clear of living quarters.         14.7 Maritime transport in bulk according to IMO instruments       Not applicable.         Transport/Additional information:       ADR         ADR       Limited quantities (LQ)         Limited quantities (LQ)       IL         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         Transport category       2	· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3264
ADR, IMDG, IATA ADR, IMDG, IATA Second State S	· 14.2 UN proper shipping name · ADR · IMDG, IATA	N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
Class8 Corrosive substances.Label814.4 Packing group8ADR, IMDG, IATAII14.5 Environmental hazards:NoMarine pollutant:No14.6 Special precautions for userWarning: Corrosive substances.Hazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groups(SGG1) AcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:Not applicable.ADRILExcepted quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Maximum net quantity per outer packaging: 500 ml Maximum net quantity per outer packaging: 500 mlTransport category2	14.3 Transport hazard class(es)	
Label814.4 Packing group ADR, IMDG, IATAII14.5 Environmental hazards: Marine pollutant:No14.6 Special precautions for userWarning: Corrosive substances.Hazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groups(SGG1) AcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:ILADRILExcepted quantities (LQ)ILExcepted quantities (EQ)Code: E2 	· ADR, IMDG, IATA	
Label814.4 Packing group ADR, IMDG, IATAII14.5 Environmental hazards: Marine pollutant:No14.6 Special precautions for userWarning: Corrosive substances.Hazard identification number (Kemler code): Hazard identification number (Kemler code):80EMS Number: Segregation groupsF-A,S-BSegregation groups(SGG1) AcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:ILADRILExcepted quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Maximum net quantity per outer packaging: 500 mlTransport category2	No. Contraction of the second	
14.4 Packing group       II         ADR, IMDG, IATA       II         14.5 Environmental hazards:       No         Marine pollutant:       No         14.6 Special precautions for user       Warning: Corrosive substances.         Hazard identification number (Kemler code):       80         EMS Number:       F-A,S-B         Segregation groups       (SGG1) Acids         Stowage Category       B         Stowage Code       SW2 Clear of living quarters.         14.7 Maritime transport in bulk according to IMO instruments       Not applicable.         Transport/Additional information:       ADR         Limited quantities (LQ)       IL         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         Transport category       2	· Class	
ADR, IMDG, IATAII14.5 Environmental hazards: Marine pollutant:No14.6 Special precautions for userWarning: Corrosive substances.14.6 Special precautions for user80I azard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groups(SGG1) AcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:Not applicable.ADRILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2		δ
14.5 Environmental hazards: Marine pollutant:No14.6 Special precautions for userWarning: Corrosive substances.Hazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groups(SGG1) AcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:Not applicable.ADRILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2	· 14.4 Packing group	77
Marine pollutant:No14.6 Special precautions for userWarning: Corrosive substances.Hazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groups(SGG1) AcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:Not applicable.ADRILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2		11
Hazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groups(SGG1) AcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:Not applicable.ADRILExcepted quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2	· 14.5 Environmental hazards: · Marine pollutant:	No
EMS Number:F-A,S-BSegregation groups(SGG1) AcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Maritime transport in bulk according to IMO instrumentsNot applicable.Transport/Additional information:Not applicable.• ADRIL• Limited quantities (LQ)IL• Excepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml• Transport category2	· 14.6 Special precautions for user	Warning: Corrosive substances.
Segregation groups       (SGG1) Acids         Stowage Category       B         Stowage Code       SW2 Clear of living quarters.         14.7 Maritime transport in bulk according to IMO instruments       Not applicable.         • Transport/Additional information:       Not applicable.         • ADR       IL         • Limited quantities (LQ)       IL         • Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         • Transport category       2		
Stowage Category       B         Stowage Code       SW2 Clear of living quarters.         14.7 Maritime transport in bulk according to IMO instruments       Not applicable.         Transport/Additional information:       Not applicable.         ADR       IL         Excepted quantities (LQ)       IL         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml         Maximum net quantity per outer packaging: 500 ml         2		,
Stowage Code       SW2 Clear of living quarters.         14.7 Maritime transport in bulk according to IMO instruments       Not applicable.         Transport/Additional information:       Not applicable.         ADR       IL         Excepted quantities (LQ)       1L         Excepted quantities (EQ)       Code: E2         Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml         Transport category       2		
<ul> <li>14.7 Maritime transport in bulk according to IMO instruments Not applicable.</li> <li>Transport/Additional information:</li> <li>ADR</li> <li>Limited quantities (LQ) IL</li> <li>Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml</li> <li>Transport category 2</li> </ul>		2
instrumentsNot applicable.Transport/Additional information:ADRLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2		
ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2	• •	
ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2	· Transport/Additional information:	
Limited quantities (LQ)ILExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 500 ml2	· ADR	
<ul> <li>Excepted quantities (EQ)</li> <li>Code: E2</li> <li>Maximum net quantity per inner packaging: 30 ml</li> <li>Maximum net quantity per outer packaging: 500 ml</li> <li>Transport category</li> </ul>		1L
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2Transport category		
Transport category 2	······································	Maximum net quantity per inner packaging: 30 ml
	· Transport category	
	· Tunnel restriction code	E

EU -

Printing date 02.06.2023

Version number 1

Revision: 02.06.2023

#### Trade name: Ytterbium Yb - 10.00 g/l in 5% HNO3 for ICP (LK1-00700101)

	(Contd. of page 6
·IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities ( $\widetilde{E}Q$ )	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, 11

# SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture · Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word Danger

- Hazard-determining components of labelling: nitric acid
- · Hazard statements
- H314 Causes severe skin burns and eye damage.
- · Precautionary statements

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P310 Immediately call a POISON CENTER/doctor.
- *P321* Specific treatment (see on this label).
- P405 Store locked up.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*
- · Directive 2012/18/EU

```
• Named dangerous substances - ANNEX I None of the ingredients is listed.
```

· LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

# • Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 8)

EU

Printing date 02.06.2023

Version number 1

Revision: 02.06.2023

Trade name: Ytterbium Yb - 10.00 g/l in 5% HNO3 for ICP (LK1-00700101)

(Contd. of page 7)

#### · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.

H335 May cause respiratory irritation.

EUH071 Corrosive to the respiratory tract.

#### · Department issuing SDS: Product safety department

- · Contact: Mrs. Taralova
- Date of previous version: 02.06.2023
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative Ox. Liq. 3: Oxidizing liquids – Category 3
- Ox. Sol. 2: Oxidizing solids Category 2
- Acute Tox. 4: Acute toxicity Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3